

# **PHYSICOCHEMICAL PROPERTIES OF PRE-TREATED CUTTLEBONE POWDER AND ITS POTENTIAL AS AN ALTERNATIVE CALCIUM SOURCE**

**YANG WEN HUEY**

**UNIVERSITI SAINS MALAYSIA**

**JULY 2020**



**PUSAT PENGAJIAN TEKNOLOGI INDUSTRI  
UNIVERSITI SAINS MALAYSIA**

**BORANG PENYERAHAN DISERTASI MUTAKHIR  
SATU (1) NASKAH**

Nama penyelia: Dr. Rabeta Mohd Salleh

Bahagian: Teknologi makanan

Saya telah menyemak semua pembetulan/pindaan yang dilaksanakan oleh

Encik/Puan/Cik Yang Wen Huey

mengenai disertasinya sebagaimana yang dipersetujui oleh Panel Pemeriksa di *Viva Voce-nya*.

2. Saya ingin mengesahkan bahawa saya berpuashati dengan pembetulan/pindaan yang dilaksanakan oleh calon.

Sekian, terima kasih.

**DR. RABETA BT. MOI'D SALLEH**  
FOOD TECHNOLOGY DIVISION  
SCHOOL OF INDUSTRIAL TECHNOLOGY  
USM 11800 MINDEN, PENANG

(Tandatangan dan cop)

2/8/2020

Tarikh



# **PHYSICOCHEMICAL PROPERTIES OF PRE-TREATED CUTTLEBONE POWDER AND ITS POTENTIAL AS AN ALTERNATIVE CALCIUM SOURCE**

By

**YANG WEN HUEY**

A dissertation submitted in partial fulfilment of the requirements for the degree of  
Bachelor of Technology (B. Tech) in the field of Food Technology  
School of Industrial Technology  
Universiti Sains Malaysia

July 2020

## **DECLARATION BY AUTHOR**

This dissertation is composed of my original work and contains no material previously published or written by another person except where due reference has been made in the text. The content of my dissertation is the result of work I have carried out since the commencement of my research project and does not include a substantial part of work that has been submitted to qualify for the award of any other degree or diploma in any university or other tertiary institution.



---

Yang Wen Huey

July 2020

## **ACKNOWLEDGEMENTS**

First and foremost, I would like to express my sincere appreciation and gratitude to my final year project supervisor, Dr. Rabeta Mohd Salleh for her guidance and advice throughout the journey of this project. Apart from that, I also appreciate her for willing to spend her valuable time to solve the problems that I faced in this research. Without her dedication, this thesis would not be possible.

Besides, special thanks to all the lab assistants for their guidance in using the instruments and facilities throughout my research study. My biggest gratitude to all the postgraduate students and my course mates, who always willing to lend me a helping hand throughout this project.

Last but not least, I am not forgetting to thank my supportive family for their moral support and invaluable encouragement throughout this project.

Yang Wen Huey

July 2020

## TABLE OF CONTENT

	<b>Page</b>
DECLARATION NY AUTHOR	ii
ACKNOWLEDGEMENTS	iii
TABLE OF CONTENT	iv-vii
LISTS OF TABLES	viii
LISTS OF FIGURES	ix
LIST OF ABBREVIATIONS	x
ABSTRAK	xi
ABSTRACT	xii
CHAPTER 1 INTRODUCTION	
1.1 Research Background	1-2
1.2 Rationale of the Study	2-3
1.3 Objective	
1.3.1 Main Objective	4
1.3.2 Specific Objectives	4
CHAPTER 2 LITERATURE REVIEW	
2.1 Cuttlefish	5-6
2.2 Cuttlebone	6-7
2.3 Medical Benefits of Cuttlebone	7-8
2.4 Proximate Analysis of Cuttlebone	8
2.5 Mineral Content of Cuttlebone	8-9
2.5.1 Calcium (Ca)	9-10
2.5.2 Magnesium (Mg)	10
2.5.3 Sodium (Na)	11

2.5.4 Potassium (K)	11-12
2.5.5 Iron (Fe)	12-13
2.6 Bioactive Compounds	13-14
2.6.1 Phenol	14-15
2.6.2 Flavonoids	15
2.6.3 Tannins	15-16
2.6.4 Alkaloid	16-17
2.6.5 Glycosides	17-18
2.7 Functional Properties of Food	18
2.7.1 Colour	18-19
2.7.2 Bulk and Tapped Density	19-20
2.7.3 Water Holding Capacity (WHC)	20-21
2.7.4 Oil Holding Capacity (OHC)	22
2.7.5 Water Solubility	23
<b>CHAPTER 3 METHODOLOGY</b>	
3.1 Materials	24-25
3.2 Overall Experimental Design	25
3.3 Cuttlebone Powder (CBP) Preparation	26
3.4 Cuttlebone Pre-treatment	26
3.5 Chemical Properties	
3.5.1 Proximate Analysis	27
3.5.1.1 Moisture Content	27
3.5.1.2 Ash Content	28
3.5.1.3 Fat Content	28-29
3.5.1.4 Protein Content	29-30

3.5.1.5 Crude Fibre Content	30-31
3.5.2 Mineral Content	31
3.5.2.1 Sample Digestion	31
3.5.2.2 Preparation of Ca, Na, Mg, K and Fe Standard Solutions	32
3.5.2.3 Mineral Content Analysis	32
3.5.3 Sample Extraction	32-33
3.5.4 Qualitative Analysis of Bioactive Compounds	33
3.5.4.1 Test for Phenol	33
3.5.4.2 Test for Flavonoids	33
3.5.4.3 Test for Tannins	33
3.5.4.4 Test for Alkaloids	34
3.5.4.5 Test for Glycosides	34
3.6 Physical Properties	
3.6.1 Colour Determination	34-35
3.6.2 Bulk density and tapped density	
3.6.2.1 Aerated bulk density	35
3.6.2.2 Tapped density	35
3.6.2.3 Flowability	36
3.6.3 Water and Oil Holding Capacity	
3.6.3.1 Water Holding Capacity	36-37
3.6.3.2 Oil Holding Capacity	37
3.6.4 Water Solubility	37-38
3.7 Statistical Analysis	38

## CHAPTER 4 RESULTS AND DISCUSSION



4.1 Chemical Properties	
4.1.1 Proximate Analysis	39-45
4.1.2 Qualitative Analysis of Bioactive Compounds	45-49
4.1.3 Minerals Determination	49-54
4.2 Physical Properties	
4.2.1 Colour Measurement	54-58
4.2.2 Bulk Density	58-60
4.2.3 Water and Oil Holding Capacity	60-63
4.2.4 Water Solubility	63-65
CHAPTER 5 CONCLUSION AND RECOMMENDATIONS	
5.1 Conclusion	66-67
5.2 Recommendations	67
REFERENCES	69-82
APPENDIX	83-96

## LISTS OF TABLES

		<b>Page</b>
Table 2.1	Proximate composition and chitin contents of cuttlebone from cuttlefish caught from Korea and India	8
Table 2.2	Minerals content in cuttlebone from cuttlefish caught from Korea and India	9
Table 2.3	Flowability characteristics, Carr index (CI) and Hausner ratio ( $H_R$ ) of powder	20
Table 3.1	Specification for Carr Index (CI) and Hausner ratio ( $H_R$ )	35
Table 4.1	Proximate composition of cuttlebone powder (CBP) pre-treated with distilled water, 1% acetic acid, 2% sodium hydroxide and raw CBP <sup>1</sup>	38
Table 4.2	Qualitative analysis of bioactive compounds of polysaccharide extracted from raw cuttlebone powder with ethylenediaminetetraacetic acid (EDTA).	45-46
Table 4.3	Minerals content of cuttlebone powder (CBP) pre-treated with distilled water, 1% acetic acid, 2% sodium hydroxide and raw CBP from Korea and India	48
Table 4.4	Colour measurement of cuttlebone powder (CBP) pre-treated with distilled water, 1% acetic acid and 2% sodium hydroxide.	54
Table 4.5	Aerated and tapped density, Carr index (CI), Hausner ratio ( $H_R$ ) and flowability properties of cuttlebone powder (CBP) pre-treated with distilled water, 1% acetic acid and 2% sodium hydroxide.	57
Table 4.6	Water holding capacity (WHC) and oil holding capacity (OHC) of cuttlebone powder (CBP) pre-treated with distilled water, 1% acetic acid and 2% sodium hydroxide.	60
Table 4.7	Water solubility of cuttlebone powder (CBP) pre-treated with distilled water, 1% acetic acid and 2% sodium hydroxide.	63

## LISTS OF FIGURES

		<b>Page</b>
Figure 2.1	Dorsal shield of cuttlebone	7
Figure 2.2	Lamellar matrix of cuttlebone	7
Figure 3.1	Overview of experimental design	24
Figure 4.1	Observation of phenol test	45
Figure 4.2	Observation of flavonoid test	45
Figure 4.3	Observation of alkaloid test	45
Figure 4.4	Observation of glycoside test	46
Figure 4.5	Observation of tannins test	46

## **LIST OF ABBREVIATIONS**

CBP	Cuttlebone powder
CBP1	Cuttlebone powder pre-treated with distilled water
CBP2	Cuttlebone powder pre-treated with 1% acetic acid solution
CBP3	Cuttlebone powder pre-treated with 2% sodium hydroxide solution
Ca	Calcium
DPPH	1,1-diphenyl-2-picrylhydrazylradicals
Fe	Iron
FAO	Food and Agricultural Organization
K	Potassium
Mg	Magnesium
MOH	Ministry of Health Malaysia
Na	Sodium
NaOH	Sodium hydroxide
WHC	Water Holding Capacity
WHO	World Health Organization
OHC	Oil Holding Capacity

# **SIFAT FIZIKO KIMIA SERBUK TULANG SOTONG KATAK YANG DIRAWAT DAN POTENSINYA SEBAGAI SUMBER KALSIUM ALTERNATIF**

## **ABSTRAK**

Kajian ini bertujuan untuk mengkaji potensi serbuk tulang sotong katak yang dirawat sebagai sumber kalsium alternatif dengan menilai sifat-sifat fizikokimia serbuk tulang sotong katak yang dirawat terlebih dahulu dengan air suling (CBP1), 1% asid asetik (CBP2) dan larutan natrium hidroksida 2% (CBP3). Pra-rawatan digunakan untuk mengekstrak abu dengan membuang bahan organik seperti protein dan lemak. Sifat-sifat kimia seperti komposisi proksimat, kandungan mineral dan sebatian bioaktif, juga sifat-sifat fizikal, seperti warna, ketumpatan pukal, sifat aliran, kapasiti penahan air dan minyak dan kelarutan air, juga ditentukan. Analisis proksimat menunjukkan abu adalah komponen utama yang terdapat dalam kesemua sampel. Analisis kualitatif sebatian bioaktif yang dijalankan ke atas ekstrak polisakarida tulang sotong katak, dan kehadiran fenol, flavonoid, alkaloid dan glikosida dikesan. Tiada kehadiran tanin dalam tulang sotong katak. Analisis mineral menunjukkan serbuk tulang sotong katak yang dirawat kaya dengan kalsium, dan berpotensi dianggap sebagai sumber kalsium dalam produk makanan atau suplemen kalsium. Kandungan mineral semua sampel meningkat mengikut urutan besi <kalium <magnesium <natrium <kalsium. Didapati tiada perbezaan yang signifikan ( $p > 0.05$ ) pada keputihan dan kemerahan semua sampel, tetapi kekuningan CBP1 jauh lebih tinggi berbanding CBP2 dan CBP3. Ketumpatan pukal CBP2 lebih rendah secara signifikan ( $p < 0.05$ ) berbanding CBP1 dan CBP3, sementara daya tahan air CBP1 lebih tinggi secara signifikan ( $p < 0.05$ ) berbanding CBP2 dan CBP3. Didapati tiada perbezaan yang signifikan ( $p > 0.05$ ) pada daya tahan minyak dan kelarutan air kesemua sampel. Ketumpatan pukal yang relatif tinggi dan daya tahan air dan minyak serbuk tulang sotong katak yang dirawat menunjukkan potensinya sebagai bahan makanan berfungsi.

## **PHYSICOCHEMICAL PROPERTIES OF PRE-TREATED CUTTLEBONE POWDER AND ITS POTENTIAL AS AN ALTERNATIVE CALCIUM SOURCE**

### **ABSTRACT**

This study was aimed to investigate the potential use of pre-treated cuttlebone powder (CBP) as an alternative calcium source by evaluating the physicochemical properties of CBP pre-treated with distilled water (CBP1), 1% acetic acid (CBP2) and 2% sodium hydroxide (NaOH) solutions (CBP3). Pre-treatments were used to extract ash and degrade the organic matters such as proteins and fats. The chemical properties including proximate composition, mineral contents and bioactive compounds as well as physical properties, including colour, bulk density, flowability, water and oil holding capacities and water solubility, of the samples were then determined. Proximate analysis revealed ash as the major component of all samples. Qualitative analysis of bioactive compounds was conducted on polysaccharides extracted from cuttlebone, and the presence of phenols, flavonoids, alkaloids and glycosides were detected. Tannins appeared to be absent in cuttlebones. Mineral analysis indicated that pre-treated CBP was rich in calcium, which means the material may be considered as a potential calcium source for food products or calcium supplements. The mineral contents of all samples increased in the order of iron < potassium < magnesium < sodium < calcium. No significant difference ( $p>0.05$ ) in the whiteness and redness of all samples was observed, but the yellowness of CBP1 was significantly greater than those of CBP2 and CBP3. The bulk density of CBP2 was significantly lower ( $p<0.05$ ) than those of CBP1 and CBP3, and the water holding capacity (WHC) of CBP1 was significantly higher ( $p<0.05$ ) than those of CBP2 and CBP3. No significant differences ( $p>0.05$ ) in oil holding capacity (OHC) and water solubility were observed amongst the samples. The high bulk density, water and oil holding capacities of pre-treated CBP demonstrated its potential use as a functional food ingredient.